




Making life easier_



The Coloplast 3 Step Approach




Biatain® Silicone



When a dressing doesn't fit perfectly, a Gap can form underneath it

With conventional foam dressings a **gap** can form between the wound bed and the dressing.

Gaps allow for exudate pooling which can affect all 3 areas of the wound¹⁻⁴.





Biatain[®] Silicone with 3DFit Technology



Absorbs vertically

to protect surrounding skin
and wound edges from
maceration.



Conforms to the wound bed

to minimise gap formation
and reduce exudate pooling.



Retains exudate & 99.98% of bacteria^{6}*

to reduce the risk of infection
and damage to periwound
skin.



***Designed to reduce exudate pooling and thereby
the risk of infection and maceration of the wound
edge and periwound skin.***

For non-infected wounds

Biatain® Silicone



Size (cm)	Qty	Code	NHS	PIP
7.5x7.5	10	3434	ELA425	353-3817
10x10	10	3435	ELA451	356-9811
12.5x12.5	10	3436	ELA426	353-3825
15x15	5	3437	ELA427	353-3833
17.5x17.5	5	3438	ELA428	353-3841
14x19.5 multishape	5	33408	ELA1015	404-6066
18x18 heel	5	33406	ELA1013	404-6058
15x19 sacral	5	33404	ELA1014	404-6033
25x25 sacral	5	33405	ELA1012	404-6041
10x20	5	33400	ELA1011	404-6074
10x30	5	33401	ELA1016	404-6082



Biatain® Silicone Lite



Size (cm)	Qty	Code	NHS	PIP
7.5x7.5	10	3444	ELA687	380-6304
10x10	10	3445	ELA688	380-6312
12.5x12.5	10	3446	ELA689	380-6320
5x5	5	3452	ELA786	402-1101
5x12.5	5	3453	ELA787	402-1119

Biatain® Silicone Non-Border



Size (cm)	Qty	Code	NHS	PIP
5x7.5	10	39020	ELA1268	418-0931
7.5x7.5	10	39021	ELA1276	418-0899
10x10	10	39022	ELA1277	418-0923
12.5x12.5	10	39023	ELA1269	418-0873
10x20	5	39024	ELA1260	418-0915
15x15	5	39025	ELA1278	418-0881
20x20	5	39026	ELA1279	418-0949

Biatain® Non-Adhesive



Size (cm)	Qty	Code	NHS	PIP
5x7	10	6105	-	339-6355
10x10	10	3410	-	265-3228
10x20	5	3412	ELA260	315-7674
15x15	5	3413	-	265-3236
20x20	5	3416	-	276-2456

Biatain® Adhesive

Size (cm)	Qty	Code	NHS	PIP
7.5x7.5	10	3462	-	379-3965
10x10	10	3430	-	285-7027
12.5x12.5	10	3420	-	347-2040
15x15	5	3421	-	379-3973
18x18	5	3423	ELA1270	259-6211
18x28	10	3426	ELA259	315-7666
17x17 sacral	5	3483	ELA636	379-3833
23x23 sacral	5	3485	ELA050	281-6684
19x20 heel	5	3488	ELA1273	281-6692
Ø17 contour	5	3486	ELA209	304-5721

Conformability may vary across product design.

Coloplast Ltd, Nene Hall, Peterborough Business Park, Peterborough, PE2 6FX
www.coloplast.com The Coloplast logo is a registered trademark of Coloplast A/S. © 2023 All rights reserved Coloplast A/S

For infected wounds

Biatain® Silicone Ag



Size (cm)	Qty	Code	NHS	PIP
7.5x7.5	5	9636	ELA759	398-8961
10x10	5	9637	ELA760	398-8979
12.5x12.5	5	9638	ELA761	398-8987
15x15	5	9639	ELA762	398-8995
17.5x17.5	5	9640	ELA763	398-9001
18x18 heel	5	39652	ELA1099	408-4638
15x19 sacral	5	39650	ELA1097	408-4612
25x25 sacral	5	39651	ELA1098	408-4620
10x20	5	39644	ELA1100	408-4653
10x30	5	39645	ELA1101	408-4646

Biatain® Ag Non-Adhesive



Size (cm)	Qty	Code	NHS	PIP
5x7	5	5105	ELA415	339-6363
10x10	5	9622	ELA163	297-6736
10x20	5	9623	ELA618	314-2767
15x15	5	9625	ELA161	297-6744
20x20	5	9626	ELA619	314-2775

Biatain® Ag Adhesive

Size (cm)	Qty	Code	NHS	PIP
12.5x12.5	5	9632	ELA164	297-6751
18x18	5	9635	ELA165	297-6769
23x23 sacral	5	9641	ELA221	313-1398
19x20 heel	5	9643	ELA1264	313-1406

For painful wounds

Biatain® Ibu Non-Adhesive



Size (cm)	Qty	Code	NHS	PIP
5x7	5	4105	ELA408	346-6430
10x12	5	4152	ELA320	327-0436
10x22.5	5	4158	ELA304	327-0451
15x15	5	4155	ELA322	327-0444
20x20	5	4120	ELA403	346-6422

Biatain® Ibu Soft-Hold



Size (cm)	Qty	Code	NHS	PIP
10x12	5	4162	ELA332	327-0469
10x22.5	5	4168	ELA302	327-0485
15x15	5	4165	ELA331	327-0477

References: 1. Mouës, CM et al. Five Millennia of Wound Care Products – What is new? A Literature review. *Ostomy Wound Management* 2009 Mar;55(3):16-22.
2. Sibbald, RG et al. Preparing the Wound Bed – Debridement, Bacterial Balance, and Moisture Balance. *Ostomy Wound Management* 2000;46(11):14-35.
3. Adzickler UJ. Managing wound exudate and promoting healing. *British Journal of Community Nursing* 2010 Mar;15(3):S15-20 4. Dowsett C, Karlsmark T, Swanson T (2019) A focus on the Triangle of Wound Assessment – addressing the gap challenge and identifying suspected biofilm in clinical practice. *Wounds International* 2019;10(3):34-3 5. Braunwarth, H, Forster, J, Schmitt, M, Biebler, R., Kruschwitz, S., (2017) Wound depth and the need of a wound filler in chronic wounds 6. Braunwarth H, Christiansen C, (2019). In vitro Testing of Bacterial Trapping in a Silicone Foam Wound Dressing. *Wounds UK*.

